

@WEIGH PTY LTD CRANE SCALES



※ ES SERIES

Model	Max Capacity	Min. Capacity	Division	N.W.	Package
ES-01-S	100kg	1kg	0.05kg	1.0kg	carton
ES-02-S	200kg	2kg	0.1kg	1.0kg	carton
ES-03-S	300kg	2kg	0.1kg	1.0kg	carton
ES-05-S	500kg	4kg	0.2kg	1.0kg	carton
ES-1-S	1000kg	10kg	0.5kg	1.4kg	carton



Features

specification

model	OCS-S																																																	
Picture																																																		
display	LCD backlight																																																	
face-board	3 keypad																																																	
hook	American standard eye hook																																																	
shackle	stainless steel shackle																																																	
battery	AA battery																																																	
remote controller	none																																																	
enclosure	Aluminum die-casting case																																																	
function	zero, tare in/out, hold, auto power off battery supervision, overload alarm, unit switch																																																	
accuracy class	equivalent to OIML III																																																	
tare range	100% F.S.(FULL SCALE)																																																	
zero range	4% F.S.																																																	
safe overload	120% F.S.																																																	
ultimate overload	400% F.S.																																																	
overload alarm	100% F.S.+9e																																																	
battery life	more than 100h																																																	
temperature range	-10℃~40℃																																																	
<table border="1"> <thead> <tr> <th colspan="2">最大秤量 Max.Cap.</th> <th colspan="2">最小秤量 Min.Cap.</th> <th colspan="2">分度值 Degree</th> <th>分度数 Number</th> </tr> <tr> <th>kg</th> <th>lb</th> <th>kg</th> <th>lb</th> <th>kg</th> <th>lb</th> <th>n</th> </tr> </thead> <tbody> <tr> <td>100</td> <td>200</td> <td>1</td> <td>2</td> <td>0.05</td> <td>0.1</td> <td>2000</td> </tr> <tr> <td>200</td> <td>400</td> <td>2</td> <td>4</td> <td>0.1</td> <td>0.2</td> <td>2000</td> </tr> <tr> <td>300</td> <td>600</td> <td>2</td> <td>4</td> <td>0.1</td> <td>0.2</td> <td>3000</td> </tr> <tr> <td>500</td> <td>1000</td> <td>4</td> <td>10</td> <td>0.2</td> <td>0.5</td> <td>2500</td> </tr> <tr> <td>1000</td> <td>2000</td> <td>10</td> <td>20</td> <td>0.5</td> <td>1</td> <td>2000</td> </tr> </tbody> </table>	最大秤量 Max.Cap.		最小秤量 Min.Cap.		分度值 Degree		分度数 Number	kg	lb	kg	lb	kg	lb	n	100	200	1	2	0.05	0.1	2000	200	400	2	4	0.1	0.2	2000	300	600	2	4	0.1	0.2	3000	500	1000	4	10	0.2	0.5	2500	1000	2000	10	20	0.5	1	2000	
最大秤量 Max.Cap.		最小秤量 Min.Cap.		分度值 Degree		分度数 Number																																												
kg	lb	kg	lb	kg	lb	n																																												
100	200	1	2	0.05	0.1	2000																																												
200	400	2	4	0.1	0.2	2000																																												
300	600	2	4	0.1	0.2	3000																																												
500	1000	4	10	0.2	0.5	2500																																												
1000	2000	10	20	0.5	1	2000																																												
<table border="1"> <thead> <tr> <th>Model</th> <th>A/mm</th> <th>B/mm</th> <th>C/mm</th> <th>L/mm</th> <th>N.W./kg</th> </tr> </thead> <tbody> <tr> <td>OCS-01-S</td> <td>20</td> <td>43</td> <td>25</td> <td>220</td> <td>1.0</td> </tr> <tr> <td>OCS-02-S</td> <td>20</td> <td>43</td> <td>25</td> <td>220</td> <td>1.0</td> </tr> <tr> <td>OCS-03-S</td> <td>20</td> <td>43</td> <td>25</td> <td>220</td> <td>1.0</td> </tr> <tr> <td>OCS-05-S</td> <td>20</td> <td>43</td> <td>25</td> <td>220</td> <td>1.0</td> </tr> <tr> <td>OCS-1-S</td> <td>20</td> <td>43</td> <td>27</td> <td>230</td> <td>1.4</td> </tr> </tbody> </table>	Model	A/mm	B/mm	C/mm	L/mm	N.W./kg	OCS-01-S	20	43	25	220	1.0	OCS-02-S	20	43	25	220	1.0	OCS-03-S	20	43	25	220	1.0	OCS-05-S	20	43	25	220	1.0	OCS-1-S	20	43	27	230	1.4														
Model	A/mm	B/mm	C/mm	L/mm	N.W./kg																																													
OCS-01-S	20	43	25	220	1.0																																													
OCS-02-S	20	43	25	220	1.0																																													
OCS-03-S	20	43	25	220	1.0																																													
OCS-05-S	20	43	25	220	1.0																																													
OCS-1-S	20	43	27	230	1.4																																													